BEST AVAILABLE COPY

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: A61K 45/06, 31/57, 31/58, 31/135, 31/35,

(11) International Publication Number:

WO 98/48839

31/245, 31/09, 31/38, 31/195, 31/47, 31/445, 31/55, 31/44, 31/615, 31/415 (43) International Publication Date:

5 November 1998 (05.11.98)

(21) International Application Number:

PCT/US98/06483

A1

(22) International Filing Date:

2 April 1998 (02.04.98)

(30) Priority Data:

60/044,306

30 April 1997 (30.04.97)

US

(71) Applicant (for all designated States except US): WARNER-LAMBERT COMPANY [US/US]; 201 Tabor Road, Morris Plains, NJ 07950 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): SEGAL, Catherine, A. [US/US]; 60 Shawnee Avenue, Rockaway, NJ 07866 (US).

(74) Agents: RYAN, M., Andrea; Warner-Lambert Company, 201 Tabor Road, Morris Plains, NJ 07950 (US) et al.

(81) Designated States: AL, AU, BA, BB, BG, BR, CA, CN, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, MIL, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: TOPICAL NASAL ANTIINFLAMMATORY COMPOSITIONS

(57) Abstract

The present invention provides topically applicable nasal compositions comprising a therapeutically effective amount of an antiinflammatory agent and a therapeutically effective amount of at least one agent selected from the group consisting of a vasoconstrictor, a neuramidinase inhibitor, a leukotriene inhibitor, an antihistamine, an antiallergic agent, an anticholinergic agent, an anesthetic and a mucolytic agent. The present compositions are useful as nasal sprays and nose drops for the treatment of nasal and sinus conditions.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland ·	LT	Lithuania	SK ·	Slovakia
AΤ	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑŲ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BĄ	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	ΙE	Ireland	MN	Mongolia	ŪA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda ·
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy .	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI .	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea .	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania	•	
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DB .	Germany	LI	Liechtenstein	SD	Sudan		•
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

10

15

20

1

TOPICAL NASAL ANTIINFLAMMATORY COMPOSITIONS

SPECIFICATION

BACKGROUND OF THE INVENTION

Topical nasal antiinflammatory preparations are known in the art for the treatment of inflammatory conditions of the nasal mucous membranes, and in particular for relief of the symptoms of nasal and sinus conditions such as rhinitis. However, nasal and sinus conditions may be characterized by diverse symptoms requiring treatment with multiple therapeutic agents. For example, allergic rhinitis may be characterized by rhinorrhea, nasal itching, sneezing, congestion and postnasal drip and treatment may require antihistamines, decongestants, antiallergics and anesthetics in addition to antiinflammatories.

The use of multiple topical nasal preparations to administer multiple therapeutic agents suffers from significant disadvantages. The volume of liquid that can effectively be applied nasally is limited by the surface area of the nostril and the bioadhesiveness of the liquid. In addition, a sufficient contact time between topical preparations and the surface area of the nostril is required to assure adequate dosing of a therapeutic agent. Further, spray formulations require a threshold surface tension to form droplets. Accordingly, the delivery volume per actuation is limited to the volume that will be retained in the nostril without premature drainage. Thus multiple topical nasal preparations cannot be effectively administered simultaneously.

5

10

15

20

25

30

Another disadvantage of the administration of multiple topical nasal preparations is patient inconvenience. Patient compliance may be compromised by the inconvenience of applying multiple spray products or nose drops. Patients complain when excess spray drains into their throats where it can be tasted, resulting in a need for flavor masking of bitter medicaments.

Accordingly, a need exists for a convenient means of nasal administration of multiple therapeutic agents.

SUMMARY OF THE INVENTION

The present invention provides topically applicable nasal compositions comprising a therapeutically effective amount of a topical antiinflammatory agent and a therapeutically effective amount of at least one agent suitable for topical nasal administration and selected from the group consisting of a vasoconstrictor, a neuramidinase inhibitor, an anticholinergic agent, a leukotriene inhibitor, an antihistamine, an antiallergic agent, an anesthetic, and a mucolytic agent.

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides topically applicable nasal compositions comprising a topical antiinflammatory agent and at least one additional therapeutic agent. The present compositions are useful for the treatment of nasal and sinus conditions, for example allergic rhinitis or the common cold.

The topical antiinflammatory agents in the compositions of the present invention are corticosteroids known in the art to suppress inflammation. In a preferred embodiment the topical antiinflammatory agent is beclomethasone diproprionate, budesonide, dexamethasone, mometasone furoate, fluticasone proprionate or triamcinolone acetonide. The compositions contain a therapeutically effective amount of the selected antiinflammatory agent. Those of ordinary skill in the art can determine an amount that is therapeutically effective for the suppression of inflammation. The precise amount will depend upon the method of administration and the age, weight and condition of the subject to be treated. Generally the

5

10

15

20

25

30

antiinflammatory agents are utilized in dosages known in the art to be therapeutically effective upon nasal administration.

The compositions of the invention further comprise at least one additional therapeutic agent, and thus allow the convenient administration of an antiinflammatory agent and at least one additional therapeutic agent in a single topical nasal composition. The additional therapeutical agent is suitable for topical nasal administration and is selected from the group consisting of a vasoconstrictor, a neuramidinase inhibitor, a leukotriene inhibitor, an anticholinergic agent, an antihistamine, an antiallergic agent, a local anesthetic and a mucolytic agent. The use of an additional therapeutic agent in combination with an antiinflammatory agent provides additive and synergistic effects in the treatment of nasal and sinus conditions.

Vasoconstrictors suitable for topical nasal administration in the compositions of the present invention are oxymetazoline naphazoline, xylometazoline, and phenylephrine. Leukotriene inhibitors include zafirlukast, a selective, competitive receptor antagonist of the three leukotrienes C4, D4, and E4; pranlukast, a selective, competitive receptor antagonist of D4; and zileuton, a leukotriene inhibitor. A. neuramidinase inhibitor includes zanamivir (GG-167). Suitable antihistamines are diphenhydramine, chlorpheniramine, cetirizine terfenadine, fenofexadine, astemizole norastemizole, azelastine, and azatidine. Antiallergic agents include cromolyn sodium and nedocromil levocabastine. An anticholinergic agent useful in the compositions of the present invention is ipratropium bromide. Local topical anesthetics include dyclonine, pramoxine, and benzocaine. Mucolytic agents suitable for topical nasal administration are acetylcysteine, guaifenisin and mucocysteine. The therapeutically effect amount of foregoing agents can be determined by the ordinarily skilled artisan with regard to the known use of these agents in the art and taking into account the method of administration and the age, weight and condition of the subject to be treated.

The compositions of the present invention are formulated as aqueous solutions comprising an antiinflammatory agent and at least one additional therapeutic agent and further comprising a pharmaceutically acceptable nasal carrier.

The formulation of pharmaceutical compositions is generally known in the art and reference can be conveniently made to standard text such as Remington's Pharmaceutical Sciences, 1985, 17th ed., Mack Publishing Co., Easton, Pennsylvania.

Preferred nasal formulations are nose drops or nasal sprays containing a water buffered aqueous solution as a carrier. The compositions are preferably isotonic. Isotonic agents such as a sugars and sodium chloride are known in the art and may be included in the subject compositions.

The compositions of the present invention may also contain a humectant to increase viscosity and effect moisturization and ciliary vitality. Suitable humectants include glycerin, polyethylene glycol, propylene glycol and mixtures thereof.

Additional agents including pharmaceutically acceptable preservatives, stabilizers, flavoring agents, and pH adjusters are known in the art and may be included in the present compositions.

Another embodiment of the present invention provides preservativefree compositions comprising an anti-inflammatory agent and at least one additional therapeutic agent. Preservative-free compositions are preferred due to reduced sensitivity and increased patient acceptance. These can be prepared in unit dose or in systems which prevent contamination of the reservoir of solution.

The compositions of the present invention can be conveniently administered nasally to a human subject in dosage unit form to elicit the desired therapeutic effect of the antiinflammatory agent and the additional therapeutic agents described above. The compositions may be administered in the form of a nasal spray or nose drops. Nasal sprays may be provided as squeeze bottles or metered dose manual nasal spray pumps designed to deliver the desired dose in one or two sprays, for example. The composition may also be administered as aerosol spray formulations, for example as metered dose pressurized aerosols containing propellants such as halogenated hydrocarbons.

10

5

15

20

25

WHAT IS CLAIMED IS:

- 1. A topically applicable nasal composition comprising a therapeutically effective amount of a topical antiinflammatory agent and a therapeutically effective amount of at least one agent suitable for topical nasal administration and selected from the group consisting of a vasoconstrictor, a neuramidinase inhibitor, a leukotriene inhibitor, an antihistamine, an antiallergic agent, an cholinergic agent, an anesthetic and a mucolytic agent.
- 2. The composition of Claim 1 wherein said topical antiinflammatory agent is selected from the group consisting of beclomethasone diproprionate, budesonide, dexamethasone, mometasone furoate, fluticasone proprionate and triamcinolone acetonide.
- 3. The composition of Claim 1 wherein said vasoconstrictor is selected from the group consisting of oxymetazoline, naphazoline, xylometazoline, and phenylephrine.
- 4. The composition of Claim 1 wherein said antihistamine is selected from the group consisting of diphenhydramine, chlorpheniramine, terfenadine, azelastine, norastemizole, fexofenadine, cetirazine, astemizole and azatidine.
- 5. The composition of Claim 1 wherein said antiallergic agent is selected from the group consisting of cromolyn sodium, levocabastine, and nedocromil.
- 6. The composition of Claim 1 wherein said anticholinergic agent is ipratropium.
- 7. The composition of Claim 1 wherein said topical anesthetic is selected from the group consisting of dyclonine, pramosine, and benzocaine.

- 8. The composition of Claim 1 wherein said mucolytic agent is selected from the group consisting of acetylcysteine, guaifenesin and mucocysteine.
- 9. The composition of Claim 1 wherein said leukotriene inhibitor is selected from the group consisting of zafirlukast, pranlukah, and zileuton.
- 10. The composition of Claim 1 wherein said neuramidinace inhibitor is zanamivir.
- therapeutically effective amount of a topical antiinflammatory agent selected from the group consisting of beclomethasone diproprionate, budesonide, dexamethasone, mometasone furoate, fluticasone proprionate and triamcinolone acetonide and a therapeutically effective amount of at least one agent selected from the group consisting of oxymetazoline, phenylephrine, diphenhydramine, chlorpheniramine, terfenadine, astemizole, azatidine, cromolyn sodium, nedocromil, ipratropium bromide, dyclonine, benzocaine, acetylcysteine, guaifenesin and mucocysteine.
- 12. The composition of Claim 1 or 11 further comprising at least one humectant.
- 13. The composition of Claim 12 wherein said humectant is selected from the group consisting of glycerin, polyethylene glycol and propylene glycol.
- 14. The composition of Claim 1 or 11 comprising a pharmaceutically acceptable carrier.
- 15. The composition of Claim 1 or 11 formulated for application as a nasal spray.

16. The composition of Claim 1 or 11 formulated for application as nose drops.





International Application No PCT/US 98/06483

a. classification of subject matter IPC 6 A61K45/06 A61K31/57 A61K31/58 A61K31/135 A61K31/35 A61K31/245 A61K31/09 A61K31/38 A61K31/195 A61K31/47 A61K31/445 A61K31/55 A61K31/44 A61K31/615 A61K31/415

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 **A61K**

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category •	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 97 01337 A (MCNEIL-PPC, INC.) 16 January 1997 see abstract see page 2, line 8 - line 18 see page 8, line 2 - line 24	1,2,4, 11-16
X .	WO 97 01341 A (MCNEIL-PPC, INC.) 16 January 1997 see page 2, line 5 - line 14 see page 8, line 2 - line 19	1,2,5, 11-16
X	WO 93 09764 A (CENTER FOR INNOVATIVE TECHNOLOGY) 27 May 1993 see page 6, line 10 - line 14 see page 6, line 30 see page 22, line 23 - line 33 see page 26, line 23 - line 25 see claims 1,2,4-8,13-23	1,3,4,6, 14-16
	-/	

X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
 Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed 	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of theinternational search 11 June 1998	Date of mailing of the international search report 22/06/1998
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Alvarez Alvarez, C

International Application No
PCT/US 98/06483

C.(Continu	etion) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/US 98/06483
Category *	Citation of document, with indication.where appropriate, of the relevant passages	Relevant to claim No.
		neisvant to claim No.
X	DATABASE WPI Week 8733 Derwent Publications Ltd., London, GB; AN 87-230755 XP002067758 & JP 62 153 227 A (SEKISUI CHEM. IND. CO. LTD.), 8 July 1987 see abstract	1,2,4,7
X A	WO 95 07103 A (THE PROCTER & GAMBLE COMPANY) 16 March 1995 see abstract see page 4, line 7 - line 13 see page 5, line 11 - line 31 see page 7, line 16 - line 18 see page 7, line 20 see examples 1-5	1,3,4,8, 12-14
		/
X	US 3 482 015 A (FREDERICK W. BOLLINGER ET AL.) 2 December 1969 see the whole document	1-3,11, 12,14,15
X	WO 85 04589 A (SUNSHINE ET AL.) 24 October 1985 see claims 1,14,15,17-19	1,3,4,8,
X .	WO 97 O9067 A (BAYER AG. ET AL) 13 March 1997 see claims 1,5	1,2
Α	· ·	. 9
X	US 4 053 628 A (NEIL ARTHUR STEVENSON ET AL.) 11 October 1977 see column 3, line 10 - line 18 see claim 2	1,5
X,P	EP 0 780 127 A (THE PROCTER & GAMBLE COMPANY) 25 June 1997 see page 2, line 35 - line 46 see page 3, line 14 - line 30 see page 4, line 5 - line 32 see page 4, line 38 - line 40 see page 5, line 7 - line 9 see claims 1-6	1-5,8, 11-16

· 1





International Application No PCT/US 98/06483

				1.01,00 30,00409			
	nt document search report		Publication date		Patent family member(s)		Publication date
WO 9	701337	Α	16-01-1997	AU	6392496	5 A	30-01-1997
WO 9	701341	A	16-01-1997	AU	6290396	5 A	30-01-1997
WO 9	309764	Α	27-05-1993	US CA EP JP US US	5240694 2122719 0661967 8508007 5422097) A / A / T / A	31-08-1993 27-05-1993 12-07-1995 27-08-1996 06-06-1995 20-02-1996
WO 9	507103	Α .	16-03-1995	AU BR CA CN EP JP	7604094 9407414 2170488 1130354 0719156 9502201	A B A I A I A	27-03-1995 12-11-1996 16-03-1995 04-09-1996 03-07-1996 04-03-1997
US 3	482015	Α	02-12-1969	DE FR GB NL	1617610 1481087 1089043 6601472	7 A	20-04-1972 09-08-1967 09-08-1966
WO 8	504589	Α	24-10-1985	US AU AU CA DE EP US US US US US US	4552899 2029195 589554 4120085 1258430 3585495 0180597 61501913 4749697 4839354 4749723 4749723 4749720 4749721 4749721 4783465 4920149	5 A B A A A A A A A A A A A A A A A A A	12-11-1985 03-08-1995 19-10-1989 01-11-1985 15-08-1989 09-04-1992 14-05-1986 04-09-1986 07-06-1988 13-06-1988 07-06-1988 07-06-1988 07-06-1988 07-06-1988 07-06-1988 07-06-1988

International Application No
PCT/US 98/06483

	itent document I in search report		Publication date	F	Patent family member(s)	Publication date
WO	8504589	Α	<u> </u>	US	4840962 A	
•				· US	4871733 A	20-06-1989
				US		03-10-1989
				US		18-06-1991
				US		28-10-1986
			· 		4738966 A	19-04-1988
WO	9709067	· A	13-03-1997	DE	19532714 A	06-03-1997
				AU	6984496 A	27-03-1997
US	4053628	Α	11-10-1977	GB	1473318 A	11-05-1977
				GB	1399834 A	02-07-1975
				US	3975536 A	17-08-1976
				AU	465305 B	25-09-1975
				ΑU	4208072 A	15-11-1973
				BE	782981 A	03-11-1972
				CA-	1000201 A	23-11-1976
				CY	955 A	22-12-1978
				- DE	2223237 A	14-12-1972
				DE	2266025 A	07-03-1985
	•			DK	131324 B	30-06-1975
				FR	2139872 A	12-01-1973
				HK	69276 A	12-11-1976
	v		•	NL	7206251 Å,	B 14-11-1972
				SE	396011 B	05-09-1977
				, ZA	7202823 A	28-03-1973
			•	DE	2425281 A	19-12-1974
	•			FR	2230358 A	20-12-1974
				JP	1160498 C	10-08-1983
			•	JP	50040720 A	14-04-1975
				JP	57056448 B	30-11-1982
EP	780127	Α	25-06-1997	NONE		

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

□ OTHER: ____

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.